



# LEMBAGA PELABUHAN JOHOR

JALAN MAWAR MERAH 2, PUSAT PERDAGANGAN PASIR GUDANG 2  
81700 PASIR GUDANG, JOHOR DARUL TA'ZIM



Rujukan / Reference : LPJ/IP/OPS/24JLD4(015)

Tarikh / Date : 2 Mac 2026 / 2 March 2026

## NOTIS PELABUHAN BIL 03/2026 PORT NOTICE NO 03/2026

**KEPADA :** OPERATOR PELABUHAN, EJEN PERKAPALAN, EJEN PENGHANTARAN, PENGHANTAR FRET, PERSATUAN-PERSATUAN DAN PENGGUNA- PENGGUNA PELABUHAN

**TO :** PORT OPERATORS, SHIPPING AGENTS, FORWARDING AGENTS, FREIGHT FORWARDERS, ASSOCIATIONS AND PORT USERS

**PERKARA :** NOTIS PELAKSANAAN MEKANISME AUTOMATIC FUEL ADJUSTMENT (AFA) MENGGANTIKAN IMBALANCE COST PASS-THROUGH (ICPT) OLEH TENAGA NASIONAL BERHAD DI PELABUHAN PASIR GUDANG DAN PELABUHAN TANJUNG PELEPAS

**SUBJECT :** NOTICE ON THE IMPLEMENTATION OF THE AUTOMATIC FUEL ADJUSTMENT (AFA) MECHANISM REPLACING THE IMBALANCE COST PASS-THROUGH (ICPT) BY TENAGA NASIONAL BERHAD AT PASIR GUDANG PORT AND PORT OF TANJUNG PELEPAS

- 
- |   |  |
|---|--|
| 1. Rujukan kepada Notis Pelabuhan Bil.1/2026 bertarikh 1 Januari 2026.  | 1. Reference is made to Port Notice No. 1/2026 dated 1 January 2026.   |
| 2. Notis ini dikeluarkan bagi tujuan pemakluman maklumat tambahan berkaitan pelaksanaan mekanisme Automatic Fuel Adjustment (AFA) yang telah menggantikan mekanisme Imbalance Cost Pass-Through (ICPT) di Pelabuhan Pasir Gudang dan Pelabuhan Tanjung Pelepas. | 2. This Notice is issued for the purpose of providing additional information regarding the implementation of the Automatic Fuel Adjustment (AFA) mechanism, which has replaced the Imbalance Cost Pass-Through (ICPT) mechanism at Pasir Gudang Port and Tanjung Pelepas Port. |
| 3. Pengenaan surcay yang diluluskan di bawah pelaksanaan mekanisme ini adalah terpakai untuk <b>Kontena Sejuk Beku</b> sahaja.  | 3. The surcharge approved under the implementation of this mechanism is applicable to <b>Reefer Containers</b> only.   |

IBU PEJABAT (PASIR GUDANG)

: 07-253 4000 (TEL.)  
07-251 7684 (FAKS)

LAMAN WEB

: <http://www.lpj.gov.my>  
e-mail: [admin@lpj.gov.my](mailto:admin@lpj.gov.my)

4. Maklumat lain berkaitan pelaksanaan surcaj ini adalah seperti yang dinyatakan di dalam Notis Pelabuhan Bil.1/2026.

4. *Other information related to the implementation of this surcharge is as stated in Port Notice No. 1/2026.*

Terima kasih

*Thank You*

**“MALAYSIA MADANI”  
“PROFESIONALISME MEMANTAPKAN PERKHIDMATAN”**



**DR. SITI NORAISHAH AZIZAN  
PENGURUS BESAR  
LEMBAGA PELABUHAN JOHOR  
GENERAL MANAGER  
JOHOR PORT AUTHORITY**  
[sitinoraishah@lpj.gov.my](mailto:sitinoraishah@lpj.gov.my)

No Dokumen:

TABLE 1

AFA rate (RM/kwh)	Applicable Rate (RM) Per Reefer Container Per Shift	
	20'	40'
-0.12	0.50	1.00
-0.11	1.00	2.00
-0.10	1.50	2.50
-0.09	2.00	3.50
-0.08	2.00	4.00
-0.07	2.50	5.00
-0.06	3.00	6.00
-0.05	3.50	6.50
-0.04	4.00	7.50
-0.03	4.00	8.00
-0.02	4.50	9.00
-0.01	5.00	10.00
0.00	5.50	10.50
0.01	6.00	11.50
0.02	6.00	12.00
0.03	6.50	13.00
0.04	7.00	14.00
0.05	7.50	14.50
0.06	8.00	15.50
0.07	8.00	16.00
0.08	8.50	17.00
0.09	9.00	18.00
0.10	9.50	18.50
0.11	10.00	20.00
0.12	10.00	20.00
0.13	10.50	21.00
0.14	11.00	22.00
0.15	11.50	22.50
0.16	12.00	23.50
0.17	12.00	24.00
0.18	12.50	25.00
0.19	13.00	26.00
0.20	13.50	26.50
0.21	14.00	27.50
0.22	14.00	28.00
0.23	14.50	29.00
0.24	15.00	30.00
0.25	15.50	30.50
0.26	16.00	31.50
0.27	16.00	32.00